

Search Notes

Application/Control No.

10/617,038

Examiner

Rodney P. Swartz, Ph.D.

Applicant(s)/Patent under
Reexamination

ANDERSEN ET AL.

Art Unit

1645

SEARCHED

Class	Subclass	Date	Examiner
424	9.1,9.2 184.1 185.1 190.1 192.1	10/19/2005	RPS
424	234.1	10/19/2005	RPS
424	248.1	10/19/2005	RPS
435	41 69.1	10/19/2005	RPS
435	71.1	10/19/2005	RPS
530	300 350	10/19/2005	RPS
536	23.1 23.7	10/19/2005	RPS
UPDATED	ABOVE	3/29/2006	RPS
UPDATED	ABOVE	1/3/2007	RPS
updated	above	10/23/2007	RPS
updated	above	5/1/2008	RPS
updated	above	11/24/2008	RPS
updated	above	3/4/2009	RPS

INTERFERENCE SEARCHED

Class	Subclass	Date	Examiner

**SEARCH NOTES
(INCLUDING SEARCH STRATEGY)**

	DATE	EXMR
biosis caba caplus embase japiro lifesci medline scisearch uspatfull sequence id search	10/19/2005	RPS
updated above	3/29/2006	RPS
updated above	1/3/2007	rps
updated above	10/23/2007	RPS
updated above	5/1/2008	RPS
updated above	11/24/2008	RPS
PALM - inventor name discussed art rejection with Jean Witz, TQAS	3/4/2009	RPS